

Forklift Safety Lamp

- 4.5m Light Projection
- Improved Safety
- Small Compact Designs
- IP67 Rated
- 3 Year Warranty

EMC/R10
Approved

IP67
Rated



3 Year
Warranty




TIFL01



TIFL01



Function	Blue Square Beam	
Size	76mm x 89mm x 74mm	
Voltage	Multivolt 10-94	
LED Qty	4	
Cable	45cm Fixed	
Lens	Polycarbonate	
Housing	Aluminium	
Draw	@10V	@94V
	0.87A	0.12A



Fitting Instructions

Bolt to the rear of the vehicle using adjustable bracket mount.
Angle lamp to your desired safety distance point or zone, then tighten.

Forklift Safety Lamp

- 4.5m Light Projection
- Improved Safety
- Small Compact Designs
- IP67 Rated
- 3 Year Warranty


Function	Red Square Beam	
Size	76mm x 89mm x 74mm	
Voltage	Multivolt 10-94	
LED Qty	4	
Cable	45cm Fixed	
Lens	Polycarbonate	
Housing	Aluminium	
Draw	@10V	@94V
	0.67A	0.09A



TIFL02



TIFL02



Fitting Instructions

Bolt to the rear of the vehicle using adjustable bracket mount.
Angle lamp to your desired safety distance point or zone, then tighten.

EMC/R10
Approved

IP67
Rated

3 Year
Warranty

Forklift Safety Lamp

- 4.5m Light Projection
- Improved Safety
- Small Compact Designs
- IP67 Rated
- 3 Year Warranty

EMC/R10
Approved

IP67
Rated

3 Year
Warranty


Function	Red Line Beam	
Size	76mm x 73mm x 73mm	
Voltage	Multivolt 10-94	
LED Qty	3	
Cable	45cm Fixed	
Lens	Polycarbonate	
Housing	Aluminium	
Draw	@10V	@94V
	0.48A	0.06A



TIFL04



TIFL04



Fitting Instructions

Bolt to the rear of the vehicle using adjustable bracket mount.
Angle lamp to your desired safety distance point or zone, then tighten.

Forklift Safety Lamp

- 4.5m Light Projection
- Improved Safety
- Small Compact Designs
- IP67 Rated
- 3 Year Warranty


Function	Red Semi-Circle Beam	
Size	117mm x 93mm x 111mm	
Voltage	Multivolt 10-80	
LED Qty	1	
Cable	25cm Fixed	
Lens	Polycarbonate	
Housing	Aluminium	
Draw	@10V	@94V
	0.90A	0.18A



TIFL05




TIFL05



EMC/R10
Approved

IP67
Rated

3 Year
Warranty



Fitting Instructions

Bolt to the rear of the vehicle using adjustable bracket mount.
Angle lamp to your desired safety distance point or zone, then tighten.